

ROWAN

s t u d i o



Royal College of Art


Postgraduate Art and Design

special edition
issue six




bobble border jacket

Knitted using Kid Classic
by Pamela Leung
pattern page 22



comfy cable

Knitted using Big Wool
by Liz Borglin
pattern page 29



sloppy joe

Knitted using Cocoon
by Git-Ying Tse
pattern page 32

tie neck jacket

Knitted using Cocoon
by Jenny McHardy
pattern page 35



swing top




Knitted using Big Wool
by Jenny Hortlund
pattern page 38

bobble border cape

Knitted using Kid Classic
by Pamela Leung
pattern page 20

button through top

Knitted using Big Wool
by Jenny Hortlund
pattern page 26





bobble
border
jacket...

knitted using
Kid Classic

design by
Pamela Leung




comfy
cable...

knitted using
Big Wool

design by
Liz Borglin





sloppy
joe...

knitted using
Cocoon

design by
Git-Ying Tse



tie neck
jacket...

knitted using
Cocoon

design by
Jenny McHardy






swing
top...

knitted using
Big Wool

design by
Jenny Hortlund






bobbie
border
cape...

knitted using
Kid Classic


design by
Pamela Leung



button
through
top...


knitted using
Big Wool

design by
Jenny Hortlund



bobble border cape

by Pamela Leung



YARN

S	M	L	XL	
To fit bust				
81-86	91-97	102-107	112-117	cm
32-34	36-38	40-42	44-46	in

Rowan Kid Classic

6	6	7	7	x	50gm
---	---	---	---	---	------

(photographed in Smudge 855)

NEEDLES

- 1 pair 4½mm (no 7) (US 7) needles
- 1 pair 6mm (no 4) (US 10) needles
- 4.00mm (no 8) (US G6) crochet hook

TENSION

22 sts and 28 rows to 10 cm measured over st st using 4½mm (US 7) needles.

CROCHET ABBREVIATIONS

ch = chain; dc = double crochet.

SPECIAL ABBREVIATIONS

MB = (K1, yfwd, K1) all into next st, turn, P3, turn, K3, turn, P3, turn, sl 1, K2tog, pssso.

BACK

Using 6mm (US 10) needles and yarn DOUBLE cast on 89 [101: 107: 119] sts.

Rows 1 to 3: Knit.

Row 4 (WS): Purl.

Row 5: K2, MB, *K5, MB, rep from * to last 2 sts, K2.

Row 6: Purl.

Row 7: K5, *MB, K5, rep from * to end.

Row 8: Purl.

Rows 9 to 12: As rows 5 to 8.

Rows 13 and 14: Knit.

Rows 15 to 26: As rows 3 to 14.

These 26 rows complete bobble border. Break off one strand of yarn and change to 4½mm (US 7) needles.

Now using one strand of yarn only throughout, cont as folls:

Next row (RS): K2 [8: 5: 9], M1, (K2, M1) 42 [42: 48: 50] times, K3 [9: 6: 10]. 132 [144: 156: 170] sts.

Beg with a P row, cont in st st, dec 1 st at each end of 4th and 4 [6: 9: 10] foll 4th rows, then on foll 19 [18: 15: 16] alt rows. 84 [94: 106: 116] sts.

Work 1 row, ending with RS facing for next row.

Cast off 4 [5: 6: 7] sts at beg of next 6 rows.

60 [64: 70: 74] sts.

Shape back neck

Next row (RS): Cast off 4 [5: 6: 7] sts, K until there are 8 [9: 10: 11] sts on right needle and turn, leaving rem sts on a holder.

Cast off 4 sts at beg of next row.

Cast off rem 4 [5: 6: 7] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 36 [36: 38: 38] sts, K to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 6mm (US 10) needles and yarn DOUBLE cast on 47 [53: 53: 59] sts.

Work the 26 bobble border rows as given for back.

Break off one strand of yarn and change to 4½mm (US 7) needles.

Now using one strand of yarn only throughout, cont as folls:

Next row (RS): K5 [8: 2: 4], M1, (K2, M1) 18 [18: 24: 25] times, K6 [9: 3: 5]. 66 [72: 78: 85] sts.

Beg with a P row, cont in st st, dec 1 st at beg of 4th and 4 [6: 9: 10] foll 4th rows, then on foll 13 [12: 8: 9] alt rows, ending with WS facing for next row.

48 [53: 60: 65] sts.

Shape neck

Cast off 9 sts at beg of next row. 39 [44: 51: 56] sts.

Dec 1 st at neck edge of next 9 rows, then on foll 1 [1: 2: 2] alt rows and at same time dec 1 st at side seam edge of next and every foll alt row. 23 [28: 33: 38] sts.

Work 1 row, ending with RS facing for next row.
Cast off 4 [5: 6: 7] sts at beg and dec 1 st at end of next row.

Work 1 row.

Rep last 2 rows twice more. 8 [10: 12: 14] sts.

Cast off 4 [5: 6: 7] sts at beg of next row.

Work 1 row.

Cast off rem 4 [5: 6: 7] sts.

RIGHT FRONT

Using 6mm (US 10) needles and yarn DOUBLE cast on 47 [53: 53: 59] sts.

Work the 26 bobble border rows as given for back.

Break off one strand of yarn and change to 4½mm (US 7) needles.

Now using one strand of yarn only throughout, cont as folls:

Next row (RS): K6 [9: 3: 5], M1, (K2, M1) 18 [18: 24: 25] times, K5 [8: 2: 4]. 66 [72: 78: 85] sts.

Beg with a P row, cont in st st, dec 1 st at end of 4th and 4 [6: 9: 10] foll 4th rows, then on foll 13 [12: 8: 9] alt rows, ending with **WS** facing for next row.

48 [53: 60: 65] sts.

Complete to match left front, reversing shapings.

MAKING UP

Press as described on the information page.

Join both shoulder/side seams using back stitch, or mattress stitch if preferred.

Front bands (both alike)

With RS facing and using 4½mm (US 7) needles, pick up and knit 60 [64: 67: 71] sts evenly along front opening edge, between neck shaping and cast-on edge. Cast off knitwise (on **WS**).

Collar

With RS facing and using 4½mm (US 7) needles, beg and ending at front opening edges, pick up and knit 35 [35: 36: 36] sts up right side of neck, 44 [44: 46: 46] sts from back, then 35 [35: 36: 36] sts

down left side of neck, 114 [114: 118: 118] sts.

Row 1 (WS): P2, *K2, P2, rep from * to end.

Row 2: K2, *P2, K2, rep from * to end.

These 2 rows form rib.

Work in rib for 1 row more, ending with RS facing for next row.

Row 4 (RS): Rib 4, cast off 4 sts (for neck tie opening – cast on 4 sts over these cast-off sts on next row), rib to last 8 sts, cast off 4 sts (for other neck tie opening – cast on 4 sts over these cast-off sts on next row), rib to end. Cont in rib until collar meas 7 cm from pick-up row, ending with RS facing for next row.

Cast off in rib.

Neck tie

Using 4.00mm (US G6) crochet hook, make a ch approx 70 cm long.


Row 1: 1 dc into 2nd ch from hook, 1 dc into each ch to end, turn.

Row 2: 1 ch (does NOT count as st), 1 dc into each dc to end, turn.

Rep last row once more.

Fasten off.

See information page for finishing instructions. Using photograph as a guide, thread neck tie through openings at neck edge and tie ends in a bow.



bobble border jacket

by Pamela Leung



YARN

S	M	L	XL	
To fit bust				
81-86	91-97	102-107	112-117	cm
32-34	36-38	40-42	44-46	in
Rowan Kid Classic				
13	14	16	17	x 50gm
(photographed in Smudge 855)				

NEEDLES

1 pair 4½mm (no 7) (US 7) needles
1 pair 6mm (no 4) (US 10) needles
4.00mm (no 8) (US G6) crochet hook

TENSION

22 sts and 28 rows to 10 cm measured over st st using 4½mm (US 7) needles.

CROCHET ABBREVIATIONS

ch = chain; dc = double crochet.

SPECIAL ABBREVIATIONS

MB = (K1, yfwd, K1) all into next st, turn, P3, turn, K3, turn, P3, turn, sl 1, K2tog, pssso.

BACK

Using 6mm (US 10) needles and yarn DOUBLE cast on 77 [83: 95: 101] sts.

Rows 1 to 3: Knit.

Row 4 (WS): Purl.

Row 5: K2, MB, *K5, MB, rep from * to last 2 sts, K2.

Row 6: Purl.

Row 7: K5, *MB, K5, rep from * to end.

Row 8: Purl.

Rows 9 and 10: As rows 5 and 6.

Rows 11 and 12: Knit.

Rows 13 to 24: As rows 1 to 12.

Rows 25 and 26: Knit.

These 26 rows complete bobble border.

Break off one strand of yarn and change to 4½mm (US 7) needles.

Now using one strand of yarn only throughout, cont as folls:

Next row (RS): K5 [2: 8: 3], M1, (K2, M1) 33 [39: 39: 47] times, K to end. 111 [123: 135: 149] sts.

Beg with a P row, cont in st st, dec 1 st at each end of 10th and every foll 8th row until 91 [103: 115: 129] sts rem.

Work 11 rows, ending with RS facing for next row.

Inc 1 st at each end of next and every foll 6th row until there are 101 [113: 125: 139] sts.

Cont straight until back meas 62 [63: 64: 65] cm, ending with RS facing for next row.

Shape armholes

Cast off 5 sts at beg of next 2 rows. 91 [103: 115: 129] sts.

Dec 1 st at each end of next 5 rows, then on foll 4 alt rows. 73 [85: 97: 111] sts.

Cont straight until armhole meas 20 [21: 22: 23] cm, ending with RS facing for next row.

Shape shoulders

Cast off 6 [8: 9: 12] sts at beg of next 4 rows, then 5 [7: 10: 11] sts at beg of foll 2 rows.

Break yarn and leave rem 39 [39: 41: 41] sts on a holder.

LEFT FRONT

Using 6mm (US 10) needles and yarn DOUBLE cast on 41 [47: 53: 59] sts.

Work the 26 row bobble border as given for back.

Break off one strand of yarn and change to 4½mm (US 7) needles.

Now using one strand of yarn only throughout, cont as folls:

Next row (RS): K1 [3: 6: 8], M1, (K1, M1) 1 [0: 0: 0] times, (K2, M1) 19 [20: 20: 21] times, K1 [4: 7: 9]. 62 [68: 74: 81] sts.

Next row: (P2, K2) twice, P to end.

Next row: K to last 8 sts, (P2, K2) twice.

Last 2 rows set the sts – front opening edge 8 sts in rib with all other sts in st st.

Keeping sts correct as set, dec 1 st at beg of 8th and every foll 8th row until 52 [58: 64: 71] sts rem.

Work 11 rows, ending with RS facing for next row.

Inc 1 st at beg of next and every foll 6th row until there are 57 [63: 69: 76] sts.

Cont straight until left front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armhole

Keeping sts correct, cast off 5 sts at beg of next row. 52 [58: 64: 71] sts.

Work 1 row.

Dec 1 st at armhole edge of next 5 rows, then on foll 4 alt rows. 43 [49: 55: 62] sts.

Work 1 row, ending with RS facing for next row.

Work neck ribbing

Place marker 9 sts in from front opening edge.

Taking extra sts into rib as set by front opening edge sts, cont as folls:

Row 1 (RS): K to marker, rib to end.

Row 2: Rib to marker, P to end.

Row 3: As row 1.

Move marker one st further away from front opening edge (marker now 10 sts in from front opening edge).

Row 4: As row 2.

Rows 5 and 6: As rows 1 and 2.

Move marker one st further away from front opening edge (marker now 11 sts in from front opening edge).

Cont in this way, moving marker one st further from front opening edge after every 3 rows, until the foll row has been worked:

Next row (WS): Rib 20, P to end.

Now keeping these 20 sts in rib and all other sts in st st, cont as folls:

Next row (RS): Patt to last 8 sts, cast off 4 sts (for neck tie opening – cast on 4 sts over these cast-off sts on next row), rib to end.

Cont straight until left front matches back to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Cast off 6 [8: 9: 12] sts at beg of next and foll alt row, then 5 [7: 10: 11] sts at beg of foll alt row.

Work 1 row, ending with RS facing for next row.

Break yarn and leave rem 26 [26: 27: 27] sts on a holder.

RIGHT FRONT

Using 6mm (US 10) needles and yarn DOUBLE cast on 41 [47: 53: 59] sts.

Work the 26 row bobble border as given for back.

Break off one strand of yarn and change to 4½mm (US 7) needles.

Now using one strand of yarn only throughout, cont as folls:

Next row (RS): K1 [3: 6: 8], M1, (K1, M1) 1 [0: 0: 0] times, (K2, M1) 19 [20: 20: 21] times, K1 [4: 7: 9]. 62 [68: 74: 81] sts.

Next row: P to last 8 sts, (K2, P2) twice.

Next row: (K2, P2) twice, K to end.

Last 2 rows set the sts – front opening edge 8 sts in rib with all other sts in st st.

Keeping sts correct as set, dec 1 st at end of 8th and every foll 8th row until 52 [58: 64: 71] sts rem.

Work 11 rows, ending with RS facing for next row.

Inc 1 st at end of next and every foll 6th row until there are 57 [63: 69: 76] sts.

Cont straight until right front matches back to beg of armhole shaping, ending with WS facing for next row.

Shape armhole

Keeping sts correct, cast off 5 sts at beg of next row. 52 [58: 64: 71] sts.

Dec 1 st at armhole edge of next 5 rows, then on foll

4 alt rows. 43 [49: 55: 62] sts.

Work 1 row, ending with RS facing for next row.

Work neck ribbing

Place marker 9 sts in from front opening edge.

Taking extra sts into rib as set by front opening edge sts, cont as folls:

Row 1 (RS): Rib to marker, K to end.

Row 2: P to marker, rib to end.

Row 3: As row 1.

Move marker one st further away from front opening edge (marker now 10 sts in from front opening edge).

Row 4: As row 2.

Rows 5 and 6: As rows 1 and 2.

Move marker one st further away from front opening edge (marker now 11 sts in from front opening edge).

Cont in this way, moving marker one st further from front opening edge after every 3 rows, until the foll row has been worked:

Next row (WS): P to last 20 sts, rib 20.

Now keeping these 20 sts in rib and all other sts in st st, cont as folls:

Next row (RS): Rib 4, cast off 4 sts (for neck tie opening – cast on 4 sts over these cast-off sts on next row), patt to end.

Cont straight until right front matches back to beg of shoulder shaping, ending with WS facing for next row.

Shape shoulder

Cast off 6 [8: 9: 12] sts at beg of next and foll alt row, then 5 [7: 10: 11] sts at beg of foll alt row, ending with RS facing for next row.

Do NOT break yarn (it will be used for collar) but leave rem 26 [26: 27: 27] sts on a holder.

SLEEVES

Using 6mm (US 10) needles and yarn DOUBLE cast on 47 sts.

Work the 26 row bobble border as given for back.

Break off one strand of yarn and change to 4½mm (US 7) needles.

Now using one strand of yarn only throughout, cont as folls:

Next row (RS): K5 [3: 1: 1], M1, (K2, M1) 18 [20: 22: 22] times, K6 [4: 2: 2]. 66 [68: 70: 70] sts.

Beg with a P row, cont in st st, shaping sides by inc 1 st at each end of 6th [6th: 4th: 4th] and every foll 8th [8th: 6th: 6th] row to 78 [86: 74: 90] sts, then on every foll 10th [10th: 8th: 8th] row until there are 84 [88: 92: 96] sts.

Cont straight until sleeve meas 46 [47: 48: 48] cm, ending with RS facing for next row.

Shape top

Cast off 5 sts at beg of next 2 rows. 74 [78: 82: 86] sts.

Dec 1 st at each end of next 5 rows, then on foll 3 alt rows, then on foll row, ending with RS facing for next row. 56 [60: 64: 68] sts.

Cast off 5 sts at beg of next 8 rows.

Cast off rem 16 [20: 24: 28] sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Collar

With RS facing, using 4½mm (US 7) needles and ball of yarn left with sts on right front holder, patt across 26 [26: 27: 27] sts from right front holder, K across 39 [39: 41: 41] sts from back holder inc 3 sts evenly, then patt across 26 [26: 27: 27] sts from left front holder. 94 [94: 98: 98] sts.

Now working all sts in rib as set by front opening edge 20 sts at each end of rows, cont in rib until collar meas 10 cm from pick-up row, ending with RS facing for next row.

Cast off in rib.

Belt

Using 4½mm (US 7) needles cast on 16 sts.

Row 1: (K2, P2) 4 times.

Rep this row until belt meas 112 [122: 132: 142] cm.

Cast off.

Neck tie

Using 4.00mm (US G6) crochet hook, make a ch approx 70 cm long.

Row 1: 1 dc into 2nd ch from hook, 1 dc into each ch


to end, turn.

Row 2: 1 ch (does NOT count as st), 1 dc into each dc to end, turn.

Rep last row once more.


Fasten off.

See information page for finishing instructions, setting in sleeves using the shallow set-in method. Using photograph as a guide, thread neck tie through openings at neck edge and tie ends in a bow.



button through top

by Jenny Hortlund



YARN

	S	M	L	XL	
To fit bust					
	81-86	91-97	102-107	112-117	cm
	32-34	36-38	40-42	44-46	in
Rowan Big Wool					
	8	9	9	10	x 100gm
(photographed in Smudge 019)					

NEEDLES

1 pair 9mm (no 00) (US 13) needles
1 pair 10mm (no 000) (US 15) needles
Cable needle

BUTTONS – 4 x 00422

TENSION

8 sts and 12 rows to 10 cm measured over rev st st using 10mm (US 15) needles.
Cable panel (20 sts) measures 12.5 cm.

SPECIAL ABBREVIATIONS

C10B = slip next 5 sts onto cable needle and leave at back of work, K5, then K5 from cable needle; **C10F** = slip next 5 sts onto cable needle and leave at front of work, K5, then K5 from cable needle.

BACK

Using 9mm (US 13) needles cast on 49 [53: 57: 63] sts.

Row 1 (RS): K1, *P1, K1, rep from * to end.

Row 2: P1, *K1, P1, rep from * to end.

These 2 rows form rib.

Work in rib for a further 3 rows, ending with **WS** facing for next row.

Row 6 (WS): Rib 10 [12: 14: 17], inc once in each of next 10 sts, rib 8, inc once in each of next 10 sts, rib to last 2 sts, work 2 tog. 68 [72: 76: 82] sts.

Change to 10mm (US 15) needles.

Now work in patt as folls:

Row 1 (RS): P10 [12: 14: 17], K20, P8, K20, P to end.

Row 2: K10 [12: 14: 17], P20, K8, P20, K to end.

Rows 3 and 4: As rows 1 and 2.

Row 5: P10 [12: 14: 17], C10B, C10F, P8, C10B, C10F, P to end.

Row 6: As row 2.

Rows 7 to 12: As rows 1 and 2, 3 times.

These 12 rows form patt.

Cont in patt, dec 1 st at each end of next and 2 foll 12th rows. 62 [66: 70: 76] sts.

Cont straight until back meas 46 [46: 46: 47] cm, ending with **RS** facing for next row.

Shape raglan armholes

Keeping patt correct, cast off 4 sts at beg of next 2 rows. 54 [58: 62: 68] sts.

Next row (RS): K1, sl 1, K1, psso, patt to last 3 sts, K2tog, K1.

Next row: P1, P2tog, patt to last 3 sts, P2tog tbl, P1.

Rep last 2 rows 1 [2: 3: 5] times more. 46 [46: 46: 44] sts.

Next row (RS): K1, sl 1, K1, psso, patt to last 3 sts, K2tog, K1.

Next row: P2, patt to last 2 sts, P2.

Rep last 2 rows 7 [7: 7: 6] times more, and then first of these 2 rows (the dec row) again, ending with **WS** facing for next row. 28 sts.

Next row (WS): P2, (P2tog) 4 times, K8, (P2tog) 4 times, P2.

Cast off rem 20 sts.

LEFT FRONT

Using 9mm (US 13) needles cast on 24 [26: 28: 32] sts.

Row 1 (RS): *K1, P1, rep from * to end.

Row 2: As row 1.

These 2 rows form rib.

Work in rib for a further 3 rows, ending with **WS** facing for next row.

Row 6 (WS): Rib 4, inc once in each of next 10 sts,

rib to last 0 [0: 0: 2] sts, (work 2 tog) 0 [0: 0: 1] times.
34 [36: 38: 41] sts.

Change to 10mm (US 15) needles.

Now work in patt as folls:

Row 1 (RS): P10 [12: 14: 17], K20, P4.

Row 2: K4, P20, K to end.

Rows 3 and 4: As rows 1 and 2.

Row 5: P10 [12: 14: 17], C10B, C10F, P4.

Row 6: As row 2.

Rows 7 to 12: As rows 1 and 2, 3 times.

These 12 rows form patt.

Cont in patt, dec 1 st at beg of next and 2 foll 12th rows.
31 [33: 35: 38] sts.

Cont straight until left front matches back to beg of raglan armhole shaping, ending with RS facing for next row.

Shape raglan armhole

Keeping patt correct, cast off 4 sts at beg of next row.
27 [29: 31: 34] sts.

Work 1 row.

Working all raglan armhole decreases as set by back, dec 1 st at raglan armhole edge of next 5 [7: 9: 13] rows, then on foll 3 [3: 3: 2] alt rows, ending with WS facing for next row. 19 sts.

Next row (WS): K4, (P2tog) twice, P to end. 17 sts.

Shape neck

Next row (RS): K1, sl 1, K1, pssso, K7, cast off rem 7 sts. With WS facing, rejoin yarn to rem 9 sts, P2tog, P to end. 8 sts.

Dec 1 st at neck edge of next 4 rows **and at same time** dec 1 st (in same way as before) at raglan armhole edge of next and foll alt row. 2 sts.

Next row (RS): K2tog and fasten off.

RIGHT FRONT

Using 9mm (US 13) needles cast on 24 [26: 28: 32] sts.

Row 1 (RS): *P1, K1, rep from * to end.

Row 2: As row 1.

These 2 rows form rib.

Work in rib for a further 3 rows, ending with WS facing for next row.

Row 6 (WS): (Work 2 tog) 0 [0: 0: 1] times, rib 10 [12: 14: 16], inc once in each of next 10 sts, rib 4. 34 [36: 38: 41] sts.

Change to 10mm (US 15) needles.

Now work in patt as folls:

Row 1 (RS): P4, K20, P to end.

Row 2: K10 [12: 14: 17], P20, K4.

Rows 3 and 4: As rows 1 and 2.

Row 5: P4, C10B, C10F, P to end.

Row 6: As row 2.

Rows 7 to 12: As rows 1 and 2, 3 times.

These 12 rows form patt.

Cont in patt, dec 1 st at end of next and 2 foll 12th rows.
31 [33: 35: 38] sts.

Complete to match left front, reversing shapings.

SLEEVES

Using 9mm (US 13) needles cast on 25 [27: 29: 31] sts. Work in rib as given for back for 5 rows, ending with WS facing for next row.

Row 6 (WS): Rib 3 [4: 5: 6], inc in next st, (rib 2, inc in next st) 6 times, rib 3 [4: 5: 6]. 32 [34: 36: 38] sts. Change to 10mm (US 15) needles.

Beg with a P row, work in rev st st until sleeve meas 15 cm, ending with RS facing for next row.

Shape raglan

Cast off 4 sts at beg of next 2 rows. 24 [26: 28: 30] sts.

Next row (RS): K1, sl 1, K1, pssso, P to last 3 sts, K2tog, K1. 22 [24: 26: 28] sts.

Next row: P2, K to last 2 sts, P2.

Next row: K2, P to last 2 sts, K2.

Next row: P2, K to last 2 sts, P2.

Next row: K1, sl 1, K1, pssso, P to last 3 sts, K2tog, K1. 20 [22: 24: 26] sts.

Next row: P2, K to last 2 sts, P2.

Rep last 2 rows 6 [7: 8: 9] times more, ending with RS

facing for next row. 8 sts.

Left sleeve only

Place marker at beg of last row to denote front neck point.

Right sleeve only

Place marker at end of last row to denote front neck point.

Both sleeves

Dec 1 st at marked (front neck) edge of next 4 rows **and at same time** dec 1 st (in same way as before) at back raglan edge of next and foll alt row. 2 sts.

Next row (RS): K2tog and fasten off.

MAKING UP

Press as described on the information page.

Join all raglan seams using back stitch, or mattress stitch if preferred.

Button band

With RS facing and using 9mm (US 13) needles, pick up and knit 57 [59: 61: 63] sts evenly down left front opening edge, from neck shaping to cast-on edge.

Row 1 (WS): K1, *P1, K1, rep from * to end.

Row 2: K2, *P1, K1, rep from * to last st, K1.

These 2 rows form rib.

Work in rib for a further 4 rows, ending with **WS** facing for next row.

Cast off in rib (on **WS**).

Buttonhole band

Work to match button band, picking up sts up right front opening edge and with the addition of 4 buttonholes in row 2 as follows:

Row 2 (RS): Rib 9 [11: 13: 15], *yfwd, K2tog, rib 13, rep from * twice more, yfwd, K2tog, K1.

Collar


With RS facing and using 9mm (US 13) needles, beg and ending half way across top of bands, pick up and knit 15 sts up right side of neck, 5 sts from top of right sleeve, 21 sts from back, 5 sts from top of left sleeve, then 15 sts down left side of neck. 61 sts.

Row 1 (RS of collar, WS of body): K2, (M1, K3) 19 times, M1, K2. 81 sts.

Beg with row 2, work in rib as given for back for 14 cm. Cast off in rib.

See information page for finishing instructions.





comfy cable

by Liz Borglin

YARN

	S	M	L	XL	
To fit bust					
	81-86	91-97	102-107	112-117	cm
	32-34	36-38	40-42	44-46	in
Rowan Big Wool					
A Linen 048					
	7	7	8	9	x 100gm
B Best Brown 027					
	1	1	1	1	x 100gm

NEEDLES

1 pair 9mm (no 00) (US 13) needles
1 pair 10mm (no 000) (US 15) needles
Cable needle

TENSION

8 sts and 12 rows to 10 cm measured over rev st st using 10mm (US 15) needles.

SPECIAL ABBREVIATIONS

C8B = slip next 4 sts onto cable needle and leave at back of work, K4, then K4 from cable needle; **C8F** = slip next 4 sts onto cable needle and leave at front of work, K4, then K4 from cable needle.

BACK

Using 10mm (US 15) needles and yarn A cast on 44 [48: 52: 58] sts.

Beg with a P row, work in rev st st, dec 1 st at each end of 11th and 2 foll 12th rows. 38 [42: 46: 52] sts.

Cont straight until back meas 43 [44: 45: 46] cm, ending with RS facing for next row.

Shape armholes

Cast off 3 sts at beg of next 2 rows. 32 [36: 40: 46] sts.

Dec 1 st at each end of next 1 [1: 3: 3] rows, then on foll

1 [2: 1: 3] alt rows. 28 [30: 32: 34] sts.

Cont straight until armhole meas 19 [20: 21: 22] cm, ending with RS facing for next row.

Shape back neck

Next row (RS): P9 [10: 10: 11] and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row. 6 [7: 7: 8] sts.

Work 2 rows, ending with RS facing for next row.

Shape shoulder

Cast off rem 6 [7: 7: 8] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 10 [10: 12: 12] sts, P to end.

Complete to match first side, reversing shapings.

FRONT

Using 10mm (US 15) needles and yarn A cast on 47 [51: 55: 61] sts.

Beg with a P row, work in rev st st, dec 1 st at each end of 11th and 2 foll 12th rows. 41 [45: 49: 55] sts.

Cont straight until front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armholes

Cast off 3 sts at beg of next 2 rows. 35 [39: 43: 49] sts.

Dec 1 st at each end of next 1 [1: 3: 3] rows, then on foll 1 [2: 1: 3] alt rows. 31 [33: 35: 37] sts.

Cont straight until 16 rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape neck

Next row (RS): P12 [13: 13: 14] and turn, leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 4 rows, then on foll 2 alt rows. 6 [7: 7: 8] sts.

Work 7 rows, ending with RS facing for next row.

Shape shoulder

Cast off rem 6 [7: 7: 8] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 7 [7: 9: 9] sts, P to end.

Complete to match first side, reversing shapings.

SLEEVES

Using 10mm (US 15) needles and yarn A cast on 18 [20: 20: 20] sts.

Row 1 (RS): P5 [6: 6: 6], (inc knitwise in next st, K1) 4 times, P to end. 22 [24: 24: 24] sts.

Now work in cable patt as folls:

Row 1 (WS): K5 [6: 6: 6], P12, K to end.

Row 2: (Inc in first st) 0 [0: 1: 1] times, P5 [6: 5: 5], C8F, K4, P to last 0 [0: 1: 1] st, (inc in last st) 0 [0: 1: 1] times. 22 [24: 26: 26] sts.

Row 3: K5 [6: 7: 7], P12, K to end.

Row 4: (Inc in first st) 1 [1: 0: 0] times, P4 [5: 7: 7], K12, P to last 1 [1: 0: 0] st, (inc in last st) 1 [1: 0: 0] times. 24 [26: 26: 26] sts.

Row 5: K6 [7: 7: 7], P12, K to end.

Row 6: (Inc in first st) 0 [0: 0: 1] times, P6 [7: 7: 6], K12, P to last 0 [0: 0: 1] st, (inc in last st) 0 [0: 0: 1] times. 24 [26: 26: 28] sts.

Row 7: K6 [7: 7: 8], P12, K to end.

Row 8: (Inc in first st) 0 [0: 1: 0] times, P6 [7: 6: 8], K4, C8B, P to last 0 [0: 1: 0] st, (inc in last st) 0 [0: 1: 0] times. 24 [26: 28: 28] sts.

Row 9: K6 [7: 8: 8], P12, K to end.

Row 10: (Inc in first st) 1 [1: 0: 1] times, P5 [6: 8: 7], K12, P to last 1 [1: 0: 1] st, (inc in last st) 1 [1: 0: 1] times. 26 [28: 28: 30] sts.

Row 11: K7 [8: 8: 9], P12, K to end.

Row 12: P7 [8: 8: 9], K12, P to end.

These 12 rows form cable patt and beg sleeve shaping. Cont in patt, shaping sides by inc 1 st at each end of

4th [4th: 2nd: 2nd] and every foll 6th row to 36 [36: 42: 44] sts, then on every foll 8th [8th: -: -] row until there are 38 [40: -: -] sts, taking inc sts into rev st st.

Cont straight until sleeve meas 47 [48: 49: 49] cm, ending with RS facing for next row.

Shape top

Keeping patt correct, cast off 4 sts at beg of next 2 rows. 30 [32: 34: 36] sts.

Dec 1 st at each end of next 2 rows, then on foll 0 [1: 2: 3] alt rows. 26 sts.

Cast off 3 sts at beg of next 6 rows.

Cast off rem 8 sts.

MAKING UP

Press as described on the information page.

Fold front in half, matching side and armhole edges, and back stitch along centre front fold, taking 3 sts into "seam" (to form ridge). Join right shoulder seam using back stitch, or mattress stitch if preferred.

Neckband

With RS facing, using 9mm (US 13) needles and yarn A, pick up and knit 16 sts down left side of neck, 4 [4: 6: 6] sts from front, 16 sts up right side of neck, then 23 [23: 25: 25] sts from back. 59 [59: 63: 63] sts.

Row 1 (WS): P1, *K1, P1, rep from * to end.

Row 2: K1, *P1, K1, rep from * to end.

These 2 rows form rib.

Work in rib for a further 2 rows, ending with WS facing for next row.

Break off yarn A and join in yarn B.

Cast off in rib (on WS).


Hem edging

With RS facing, using 9mm (US 13) needles and yarn B, pick up and knit 44 [48: 52: 58] sts from cast-on edge of back.

Cast off knitwise (on WS).

sloppy joe

by Git-Ying Tse



YARN

	S	M	L	XL	
To fit bust					
	81-86	91-97	102-107	112-117	cm
	32-34	36-38	40-42	44-46	in
Rowan Cocoon					
	7	8	8	9	x 100gm
(photographed in Tarn 807)					

NEEDLES

1 pair 5mm (no 6) (US 8) needles
1 pair 6mm (no 4) (US 10) needles
1 pair 7mm (no 2) (US 10½) needles
6mm (no 4) (US 10) circular needle
Cable needle

TENSION

12 sts and 15 rows to 10 cm measured over lower patt using 7mm (US 10½) needles.

Pattern note: All sts should be slipped with yarn at front (RS on RS rows, WS on WS rows) of work.

BACK

Using 5mm (US 8) needles and oddment of scrap yarn cast on 31 [34: 37: 41] sts.

***Break off scrap yarn and join in main yarn.

Row 1: K1, *yfwd, K1, rep from * to end. 61 [67: 73: 81] sts.

Row 2: K1, *sl 1, K1, rep from * to end.

Row 3: K1, *K1, sl 1, rep from * to end.

Rows 4 to 7: As rows 2 and 3, twice.

This completes fancy cast-on edge. Now remove scrap yarn.

Change to 6mm (US 10) needles and cont in rib as folls:

Row 1 (RS): K1, *P1, K1, rep from * to end.

Row 2: P1, *K1, P1, rep from * to end.

These 2 rows form rib.***

Cont in rib until back meas 7 cm, dec 1 st at end of last row and ending with RS facing for next row.

60 [66: 72: 80] sts.

Change to 7mm (US 10 1/2) needles and cont in lower patt as folls:

Rows 1 to 4: Knit.

Row 5 (RS): *K1 winding yarn 3 times round needle, rep from * to end.

Row 6: (K1 dropping extra loops) 2 [3: 2: 2] times, *slip next 2 sts onto cable needle dropping extra loops and leave these 2 sts at front of work, (K1 dropping extra loops) twice, then K2 from cable needle, rep from * to last 2 [3: 2: 2] sts, (K1 dropping extra loops) 2 [3: 2: 2] times. These 6 rows form lower patt.

Cont in lower patt, dec 1 st at each end of 9th and foll 24th row. 56 [62: 68: 76] sts.

Work 3 rows, ending after patt row 6 and with RS facing for next row.

Now work in upper patt as folls:

Rows 1 to 4: Knit.

Row 5 (RS): *K1 winding yarn twice round needle, rep from * to end.

Row 6: *K1 dropping extra loop, rep from * to end.

These 6 rows form upper patt.**

Cont straight until back meas approx 68 [70: 72: 74] cm, ending after patt row 6 and with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 8 [10: 11: 13] sts, K until there are 12 [13: 14: 16] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 9 [10: 11: 13] sts.
With RS facing, rejoin yarn to rem sts, cast off centre
16 [16: 18: 18] sts, K to end.
Complete to match first side, reversing shapings.

FRONT

Work as given for back to **.
Work 2 rows, ending with RS facing for next row.

Divide for neck

Next row (RS): K28 [31: 34: 38] and turn, leaving rem
sts on a holder.

Work each side of neck separately.

Keeping upper patt correct, dec 1 st at neck edge of 4th
and 9 [6: 5: 2] foll 4th rows, then on 1 [4: 6: 9] foll 6th
rows. 17 [20: 22: 26] sts.

Cont straight until front matches back to beg of
shoulder shaping, ending with RS facing for next row.

Shape shoulder

Cast off 8 [10: 11: 13] sts at beg of next row.

Work 1 row.

Cast off rem 9 [10: 11: 13] sts.

With RS facing, rejoin yarn to rem sts, K to end.

Complete to match first side, reversing shapings.

SLEEVES

Using 5mm (US 8) needles and oddment of scrap yarn
cast on 14 [15: 16: 17] sts.

Work as given for back from *** to ***, noting that
there will be 27 [29: 31: 33] sts after row 1.

Cont in rib until sleeve meas 6 cm, dec 1 st at end of last
row and ending with RS facing for next row.

26 [28: 30: 32] sts.

Change to 7mm (US 10½) needles and cont in patt as
folls:

Rows 1 and 2: Knit.

Row 3 (RS): Inc in first st, K to last st, inc in last st.
28 [30: 32: 34] sts.

Row 4: Knit.

Row 5: *K1 winding yarn 3 times round needle, rep
from * to end.

Row 6: (K1 dropping extra loops) 2 [1: 2: 1] times, *slip
next 2 sts onto cable needle dropping extra loops and
leave these 2 sts at front of work, (K1 dropping extra
loops) twice, then K2 from cable needle, rep from * to last
2 [1: 2: 1] sts, (K1 dropping extra loops) 2 [1: 2: 1] times.
These 6 rows form patt and beg sleeve shaping.

Cont in patt, shaping sides by inc 1 st at each end of next
and 2 [1: 0: 0] foll 4th rows, then on every foll 6th row
until there are 46 [48: 50: 52] sts, taking inc sts into patt.
Cont straight until sleeve meas approx 46 [47: 48: 48] cm,
ending after patt row 6 and with RS facing for next row.

Shape top

Keeping patt correct, cast off 8 sts at beg of next 4 rows.

Cast off rem 14 [16: 18: 20] sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress
stitch if preferred.

Neckband

With RS facing and using 6mm (US 10) circular
needle, pick up and knit 56 [62: 70: 76] sts down left
side of neck, 1 st from base of V and mark this st with
a coloured thread, pick up and knit 56 [62: 70: 76] sts up
right side of neck, then 23 [23: 25: 25] sts from back.
136 [148: 166: 178] sts.

Round 1 (RS): *K1, P1, rep from * to end.

This round sets position of rib.


Keeping rib correct, cont as folls:

Round 2: Rib to within 1 st of marked st, slip 2 sts as

though to K2tog (marked st is 2nd of these 2 sts), K1,
pass 2 slipped sts over, rib to end.
Rep last round 5 times more.
Cast off **loosely** in rib still decreasing either side of

marked st as before.

See information page for finishing instructions, setting
in sleeves using the straight cast-off method.





tie neck jacket

by Jenny McHardy

YARN

	S	M	L	XL	
To fit bust	81-86	91-97	102-107	112-117	cm
	32-34	36-38	40-42	44-46	in
Rowan Cocoon	6	7	7	8	x 100gm
(photographed in Scree 803)					

NEEDLES

1 pair 7mm (no 2) (US 10½) needles

TENSION

15 sts and 18 rows to 10 cm measured over patt using 7mm (US 10½) needles.

BACK

Using 7mm (US 10½) needles cast on 74 [92: 92: 110] sts.

Rows 1 and 2: Purl.

Row 3 (RS): K1, *(yfwd, K1) 3 times, (K2tog) 6 times, (yfwd, K1) 3 times, rep from * to last st, K1.

Row 4: Knit.

Rows 5 to 8: As row 1 to 4.

Row 9: Purl.

Row 10: P6 [0: 3: 1], P2tog, (P10 [4: 10: 5], P2tog) 5 [15: 7: 15] times, P6 [0: 3: 2]. 68 [76: 84: 94] sts.

These 10 rows complete border.

Now work in patt as folls:

Row 1 (RS): K1 [1: 1: 2], *P2, K2, rep from * to last 3 [3: 3: 4] sts, P2, K1 [1: 1: 2].

Row 2: P1 [1: 1: 2], *K2, P2, rep from * to last 3 [3: 3: 4] sts, K2, P1 [1: 1: 2].

Row 3: Knit.

Row 4: Purl.

Rows 5 and 6: As rows 1 and 2.

Row 7: Purl.

Row 8: Knit.

These 8 rows form patt.

Cont in patt until back meas 13 [14: 15: 16] cm, ending with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 3 sts at beg of next 2 rows. 62 [70: 78: 88] sts.

Dec 1 st at each end of next and foll 4 alt rows. 52 [60: 68: 78] sts.

Cont straight until armhole meas 19 [20: 21: 22] cm, ending with RS facing for next row.

Shape shoulder and back neck

Next row (RS): Cast off 6 [8: 9: 12] sts, patt until there are 9 [11: 13: 15] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 6 [8: 10: 12] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 22 [22: 24: 24] sts, patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 7mm (US 10 1/2) needles cast on 38 [38: 38: 56] sts.

Work border patt rows 1 to 9 as given for back, ending with WS facing for next row.

Row 10 (WS): P3 [3: 5: 4], P2tog, (P1 [3: 11: 1], P2tog) 10 [6: 2: 15] times, P3 [3: 5: 5]. 27 [31: 35: 40] sts.

These 10 rows complete border.

Now work in patt as folls:

Row 1 (RS): K1 [1: 1: 2], *P2, K2, rep from * to last 2 sts, P2.

Row 2: *K2, P2, rep from * to last 3 [3: 3: 4] sts, K2, P1 [1: 1: 2].

Row 3: Knit.

Row 4: Purl.

Rows 5 and 6: As rows 1 and 2.

Row 7: Purl.

Row 8: Knit.

These 8 rows form patt.

Cont in patt until left front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armhole

Keeping patt correct, cast off 3 sts at beg of next row.
24 [28: 32: 37] sts.

Work 1 row.

Dec 1 st at armhole edge of next and foll 4 alt rows.
19 [23: 27: 32] sts.

Cont straight until 15 [15: 17: 17] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape neck

Place marker at beg of last row to denote top of left front opening edge.

Keeping patt correct, dec 1 st at marked neck edge of next 5 rows, then on foll 1 [1: 2: 2] alt rows, then on foll 4th row. 12 [16: 19: 24] sts.

Work 3 rows, ending with RS facing for next row.

Shape shoulder

Cast off 6 [8: 9: 12] sts at beg of next row.

Work 1 row.

Cast off rem 6 [8: 10: 12] sts.

RIGHT FRONT

Using 7mm (US 10½) needles cast on 56 sts.

Work border patt rows 1 to 9 as given for back, ending with WS facing for next row.

Row 10 (WS): P6 [2: 3: 13], P2tog, (P1 [3: 6: 26], P2tog) 14 [10: 6: 1] times, P6 [2: 3: 13]. 41 [45: 49: 54] sts.

These 10 rows complete border.

Now work in patt as folls:

Row 1 (RS): K1 [1: 1: 2], *P2, K2, rep from * to end.

Row 2: P2, *K2, P2, rep from * to last 3 [3: 3: 4] sts, K2, P1 [1: 1: 2].

Row 3: Knit.

Row 4: Purl.

Rows 5 and 6: As rows 1 and 2.

Row 7: Purl.

Row 8: Knit.

These 8 rows form patt.

Cont in patt until right front matches back to beg of armhole shaping, ending with WS facing for next row.

Shape armhole

Keeping patt correct, cast off 3 sts at beg of next row.
38 [42: 46: 51] sts.

Dec 1 st at armhole edge of next and foll 4 alt rows.
33 [37: 41: 46] sts.

Cont straight until 14 [14: 16: 16] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape neck

Keeping patt correct, cast off 15 sts at beg of next row.
18 [22: 26: 31] sts.

Place marker at beg of last row to denote top of right front opening edge.

Dec 1 st at marked neck edge of next 4 rows, then on foll 1 [1: 2: 2] alt rows, then on foll 4th row. 12 [16: 19: 24] sts.

Work 4 rows, ending with WS facing for next row.

Shape shoulder

Cast off 6 [8: 9: 12] sts at beg of next row.

Work 1 row.

Cast off rem 6 [8: 10: 12] sts.

SLEEVES

Using 7mm (US 10½) needles cast on 38 sts.

Work border patt rows 1 to 9 as given for back, ending with WS facing for next row.

Row 10 (WS): P3 [3: 13: 13], P2tog, (P8 [8: 18: 18], P2tog) 3 [3: 1: 1] times, P3 [3: 13: 13]. 34 [34: 36: 36] sts.

These 10 rows complete border.

Now work in patt as folls:

Row 1 (RS): P0 [0: 1: 1], K2, *P2, K2, rep from * to last 0 [0: 1: 1] st, P0 [0: 1: 1].

Row 2: K0 [0: 1: 1], P2, *K2, P2, rep from * to last 0 [0: 1: 1] st, K0 [0: 1: 1].

Row 3: Inc in first st, K to last st, inc in last st.

36 [36: 38: 38] sts.

Row 4: Purl.

Row 5: P1 [1: 2: 2], K2, *P2, K2, rep from * to last 1 [1: 2: 2] st, P1 [1: 2: 2].

Row 6: K1 [1: 2: 2], P2, *K2, P2, rep from * to last 1 [1: 2: 2] st, K1 [1: 2: 2].

Row 7: (Inc in first st) 0 [1: 1: 1] times, P to last 0 [1: 1: 1] st, (inc in last st) 0 [1: 1: 1] times. 36 [38: 40: 40] sts.

Row 8: Knit.

These 8 rows form patt and beg sleeve shaping.

Cont in patt, shaping sides by inc 1 st at each end of next [3rd: 5th: 3rd] and every foll 6th [6th: 6th: 4th] row to 56 [58: 60: 46] sts, then on every foll - [-: -: 6th] row until there are - [-: -: 62] sts, taking inc sts into patt.

Cont straight until sleeve meas 46 [47: 48: 48] cm, ending with RS facing for next row.

Shape top

Keeping patt correct, cast off 3 sts at beg of next 2 rows. 50 [52: 54: 56] sts.

Dec 1 st at each end of next and foll 3 alt rows, then on foll row, ending with RS facing for next row.

40 [42: 44: 46] sts.

Cast off 5 sts at beg of next 6 rows.

Cast off rem 10 [12: 14: 16] sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Neckband and ties

Using 7mm (US 10½) needles cast on 15 sts.

Row 1 (RS): Knit.

Row 2: K1, P13, K1.

These 2 rows form patt.

Cont in patt until strip meas 50 cm, ending with RS facing for next row – this section forms right tie.

Place marker at beg of last row – this marker matches to front opening edge of right front neck edge.

Cont in patt until section of strip after marker, when slightly stretched, fits around entire neck edge to marker at base of left front neck shaping – this section forms neckband.


Place marker at beg of last row – this marker matches marker at neck edge of left front.

Cont in patt until section of strip after second marker meas 50 cm, ending with RS facing for next row – this section forms left tie.

Cast off.


Slip stitch neckband section in place, leaving edge free for approx 4-5 cm at each front opening edge to allow ends to tie.

See information page for finishing instructions, setting in sleeves using the shallow set-in method.



swing top

by Jenny Hortlund



YARN

S	M	L	XL	
To fit bust				
81-86	91-97	102-107	112-117	cm
32-34	36-38	40-42	44-46	in

Rowan Big Wool

5 6 - 6 7 x 100gm
(photographed in Acer 041)

NEEDLES

1 pair 9mm (no 00) (US 13) needles
1 pair 10mm (no 000) (US 15) needles
Cable needle

TENSION

8 sts and 12 rows to 10 cm measured over st st using 10mm (US 15) needles. Cable panel (20 sts) measures 12.5 cm.

SPECIAL ABBREVIATIONS

C10B = slip next 5 sts onto cable needle and leave at back of work, K5, then K5 from cable needle;
C10F = slip next 5 sts onto cable needle and leave at front of work, K5, then K5 from cable needle.

UPPER BAND

Using 10mm (US 15) needles cast on 14 sts.

Row 1 (WS): K2, inc once in each of next 10 sts, K2. 24 sts.

Row 2: K1, P1, K20, P1, K1.

Row 3: K2, P20, K2.

Last 2 rows form patt.

Work in patt for a further 8 [0: 2: 6] rows.

Next row (RS): K1, P1, C10F, C10B, P1, K1.

M, L and XL sizes only

Patt 11 rows.

Next row (RS): K1, P1, C10F, C10B, P1, K1.

All sizes

Patt 9 [7: 6: 4] rows.

Place red marker at beg of last row.

Patt 4 [6: 7: 9] rows.

Next row (RS): K1, P1, C10B, C10F, P1, K1.

Patt 11 rows.

Next row (RS): K1, P1, C10B, C10F, P1, K1.

Patt 13 [11: 10: 8] rows.

Place blue marker at marked edge of last row.

Patt 0 [2: 3: 5] rows.

Next row (RS): K1, P1, C10F, C10B, P1, K1.

Patt 11 rows.

Next row (RS): K1, P1, C10F, C10B, P1, K1.

Patt 13 rows.

Next row (RS): K1, P1, C10B, C10F, P1, K1.

Patt 11 rows.

Next row (RS): K1, P1, C10B, C10F, P1, K1.

Patt 0 [2: 3: 5] rows.

Place second blue marker at marked edge of last row.

Patt 13 [11: 10: 8] rows.

Next row (RS): K1, P1, C10F, C10B, P1, K1.

Patt 11 rows.

Next row (RS): K1, P1, C10F, C10B, P1, K1.

Patt 4 [6: 7: 9] rows.

Place second red marker at marked edge of last row.

Patt 9 [7: 6: 4] rows.

M, L and XL sizes only

Next row (RS): K1, P1, C10B, C10F, P1, K1.

Patt 11 rows.

All sizes

Next row (RS): K1, P1, C10B, C10F, P1, K1.

Work in patt for a further 10 [2: 4: 8] rows, ending with **WS** facing for next row.

Next row (WS): K2, (P2tog) 10 times, K2.

Cast off rem 14 sts.

BACK and FRONT (both alike)

Join cast-on and cast-off ends of upper band to form a loop – seam is at centre back. Back and front are worked downwards from upper band, picking up sts from marked row-end edge of band – for front pick up sts between blue markers, and for back pick up sts between red markers (picking up sts across centre back seam).

With RS facing and using 10mm (US 15) needles, pick up and knit 27 [29: 31: 33] sts evenly along edge of upper band between a pair of markers.

Beg with a P row, work in st st for 3 rows, ending with RS facing for next row.

Row 4 (RS): K2, M1, K to last 2 sts, M1, K2.

Working all increases as set by last row, inc 1 st at each

end of 2nd and foll 3 [4: 5: 8] alt rows, then on 3 [3: 3: 2] foll 4th rows. 43 [47: 51: 57] sts.

Place markers at both ends of last row to denote top of side seams/base of armholes.

Cont straight until work meas 26 [27: 28: 29] cm from markers at underarm, ending with **WS** facing for next row.


Cast off knitwise (on **WS**).

MAKING UP

Press as described on the information page.

Join side seams below markers using back stitch, or mattress stitch if preferred.

See information page for finishing instructions.



information & abbreviations

TENSION

Obtaining the correct tension is perhaps the single factor which can make the difference between a successful garment and a disastrous one. It controls both the shape and size of an article, so any variation, however slight, can distort the finished garment. We recommend that you knit a square in pattern and/or stocking stitch (depending on the pattern instructions) of perhaps 5 - 10 more stitches and 5 - 10 more rows than those given in the tension note. Mark out the central 10cm square with pins. If you have too many stitches to 10cm try again using thicker needles, if you have too few stitches to 10cm try again using finer needles. Once you have achieved the correct tension your garment will be knitted to the measurements indicated in the size diagram shown at the end of the pattern.

SIZING & SIZE DIAGRAM NOTE

The instructions are given for the smallest size. Where they vary, work the figures in brackets for the larger sizes. One set of figures refers to all sizes. Included with most patterns in this brochure is a 'size diagram', or sketch of the finished garment and its dimensions. The size diagram shows the finished width of the garment at the under-arm point, and it is this measurement that the knitter should choose first; a useful tip is to measure one of your own garments which is a comfortable fit. Having chosen a size based on width, look at the corresponding length for that size; if you are not happy with the total length which we recommend, adjust your own garment before beginning your armhole shaping - any adjustment after this point will mean that your sleeve will not fit into your garment easily - don't forget to take your adjustment into account if there is any side seam shaping. Finally, look at the sleeve length; the size diagram shows the finished sleeve measurement, taking into account any top-arm insertion length. Measure your body between the centre of your neck and your wrist, this measurement should correspond to half the garment width plus the sleeve length. Again, your sleeve length may be adjusted, but remember to take into consideration your sleeve increases if you do adjust the length - you must increase more frequently than the pattern states to shorten your sleeve, less frequently to lengthen it.

FINISHING INSTRUCTIONS

After working for hours knitting a garment, it seems a great pity that many garments are spoiled because such little care is taken in the pressing and finishing process. Follow the following tips for a truly professional looking garment.

PRESSING

Block out each piece of knitting and following the instructions on the ball band press the garment pieces, omitting the ribs. Tip: Take special care to press the edges, as this will make sewing up both easier and neater. If the ball band indicates that the fabric is not to be pressed, then covering the blocked out fabric with a damp white cotton cloth and leaving it to stand will have the desired effect. Darn in all ends neatly along the selvage edge or a colour join, as appropriate.

STITCHING

When stitching the pieces together, remember to match areas of colour and texture very carefully where they meet. Use a seam stitch such as back stitch or mattress stitch for all main knitting seams and join all ribs and neckband with mattress stitch, unless otherwise stated.

CONSTRUCTION

Having completed the pattern instructions, join left shoulder and neckband seams as detailed above. Sew the top of the sleeve to the body of the garment using the method detailed in the pattern, referring to the appropriate guide: Shallow set-in sleeves: Match decreases at beg of armhole shaping to decreases at top of sleeve. Sew sleeve head into armhole, easing in shapings. Set-in sleeves: Place centre of cast-off edge of sleeve to shoulder seam. Set in sleeve, easing sleeve head into armhole.

Join side and sleeve seams.

Slip stitch pocket edgings and linings into place.

Sew on buttons to correspond with buttonholes.

Ribbed welts and neckbands and any areas of garter stitch should not be pressed.

K	-	knit	cont	-	continue	rev st-st	-	reverse stocking stitch
P	-	purl	patt	-	pattern			(1 row P, 1 row K)
st(s)	-	stitch(es)	m1	-	make one stitch by	yfwd	-	yarn forward
inc	-	increase(s)			picking up horizontal	pssso	-	pass slipped stitch over
dec	-	decrease(s)			loop before next stitch	-	-	no stitches, times or
st-st	-	stocking stitch			and knitting back of it			rows for that size
		(1 row K, 1 row P)	tog	-	together	yfrn	-	yarn forward and
g st	-	garter stitch	mm	-	millimetres			around needle
		(K every row)	cm	-	centimetres			
sl1	-	slip one stitch	in(s)	-	inch(es)			
beg	-	begin(ning)	meas	-	measures			
foll	-	following	tbl	-	through back of loop			
rem	-	remain(ing)	RS	-	right side			
rep	-	repeat	WS	-	wrong side			
alt	-	alternate	yrn	-	yarn round needle			

UK CROCHET ABBREVIATIONS

DC - double crochet

US CROCHET ABBREVIATIONS

DC - single crochet

sizing guide

- Our sizing now conforms to standard clothing sizes. Therefore if you buy a standard size 12 in clothing, then our size 12 or Medium patterns will fit you perfectly.
- Dimensions in the charts below are body measurements, not garment dimensions, therefore please refer to the measuring guide to help you to determine which is the best size for you to knit.

MEASURING GUIDE

For maximum comfort and to ensure the correct fit when choosing a size to knit, please follow the tips below when checking your size.

Measure yourself close to your body, over your underwear and don't pull the tape measure too tight!

Bust/chest – measure around the fullest part of the bust/chest and across the shoulder blades.

Waist – measure around the natural waistline, just above the hip bone.

Hips – measure around the fullest part of the bottom.


If you don't wish to measure yourself, note the size of a favourite jumper that you like the fit of. Our sizes are now comparable to the clothing sizes from the major high street retailers, so if your favourite jumper is a size Medium or size 12, then our casual size Medium and standard size 12 should be approximately the same fit.

To be extra sure, measure your favourite jumper and then compare these measurements with the size diagram given at the end of the individual instructions.

Finally, once you have decided which size is best for you, please ensure that you achieve the tension required for the design you wish to knit. Remember if your tension is too loose, your garment will be bigger than the pattern size and you may use more yarn. If your tension is too tight, your garment could be smaller than the pattern size and you will have yarn left over. Furthermore if your tension is incorrect, the handle of your fabric will be too stiff or floppy and will not fit properly. It really does make sense to check your tension before starting every project.

STANDARD SIZING GUIDE FOR WOMEN

UK SIZE	8	10	12	14	16	18	20	22	
USA Size	6	8	10	12	14	16	18	20	
EUR Size	34	36	38	40	42	44	46	48	
To fit bust	32	34	36	38	40	42	44	46	inches
	82	87	92	97	102	107	112	117	cm
To fit waist	24	26	28	30	32	34	36	38	inches
	61	66	71	76	81	86	91	96	cm
To fit hips	34	36	38	40	42	44	46	48	inches
	87	92	97	102	107	112	117	122	cm



CASUAL SIZING GUIDE FOR WOMEN

As there are some designs that are intended to fit more generously, we have introduced our casual sizing guide. The designs that fall into this group can be recognised by the size range: Small, Medium, Large & Xlarge. Each of these sizes cover two sizes from the standard sizing guide, ie. Size S will fit sizes 8/10, size M will fit sizes 12/14 and so on. The sizing within this chart is also based on the larger size within the range, ie. M will be based on size 14.

UK SIZE	S	M	L	XL	
DUAL SIZE	8/10	12/14	16/18	20/22	
To fit bust	32 – 34	36 – 38	40 – 42	44 – 46	inches
	82 – 87	92 – 97	102 – 107	112 – 117	cm
To fit waist	24 – 26	28 – 30	32 – 34	36 – 38	inches
	61 – 66	71 – 76	81 – 86	91 – 96	cm
To fit hips	34 – 36	38 – 40	42 – 44	46 – 48	inches
	87 – 92	97 – 102	107 – 112	117 – 122	cm